




Joshua Hailpern

University of Illinois at Urbana Champaign

Loretta Guarino Reid, Richard Boardman, Srinivas Annam Google



audio sample of screen reader reading gmail



Convert text, image, and HTML content to another media type


# Visually Impaired

Unable to rely upon the visual and textual representation































Interaction	Virtual Cursor Mode	Forms Mode	PC Cursor Mode
Navigate between pages			
Navigate within pages			
Access to Form Elements			
Read & Reread Text		0	
Text Input			



Full Support



Partial Support



Minimal Support

#### **Scenarios**



- 1.Check Email
- 2. Open and Read Newest Message
- 3.Reply/Compose a New Message

Scenarios and Discussion from 17 user interviews & observation of use

#### Alice: Traditional Web Content



Action

Feedback

Check For New Mail

Screen Reader Mode

Launches Gmail

Reads Site

Virtual Cursor

Press T: Table

Reads Table

Virtual Cursor

Ctrl + Arrows

Reads Rows/Cells

Open & Read Email

Virtual Cursor

Ctrl + Arrows

Alerts Link

Virtual Cursor

Enter

Announces Pageload

Virtual Cursor

'P' and Arrows

Reads Text

Virtual Cursor

Compose Email

#### Alice: Traditional Web Content



Action

Feedback

Screen Reader Mode

Insert + F7

'Links List'

Virtual Cursor

Arrows

Reads Links

Virtual Cursor

Enter

Announces Pageload

Input Text

Virtual Cursor

h/2 key

Reads H2 Headers

Virtual Cursor

Enter

'Forms Mode Active'

Forms Mode

**TAB** 

Reads form titles

Forms Mode

Enter

Announces Pageload

# **Summary: Traditional Web Content**



- Garrin and Jr. 11 addition		
Action	Feedback	Screen Reader Mode
Launches Gmail	Reads Site	Virtual Cursor
Press T: Table	Reads Table	

Reads Rows/Cells

Ctrl + Arrows Alerts Link

Ctrl + Arrows

Enter

Enter Announces Pageload

'P' and Arrows Reads Text

Insert + F7 'Links List'

Arrows Reads Links

Enter Announces Pageload

2 key Reads H2 Headers

Enter 'Forms Mode Active'

TAB Reads form titles

Announces Pageload

Forms Mode



Action

Feedback

Screen Reader Mode

Launches Gmail

Reads Site

Virtual Cursor

Press T: Table

Reads Tables...

Check For New Mail

Virtual Cursor

j + k

Screen Reader Keys

Virtual Cursor

virtual cursor off

PC Cursor Mode

j + k

• • •

PC Cursor Mode

virtual cursor on



Action

Feedback

Screen Reader Mode

Insert + F7

'Links List'

Virtual Cursor

**TAB** 

Iterate elements

Virtual Cursor

Read That Email

Enter

• • •

Virtual Cursor

Enter

'ERROR'

Virtual Cursor

Ins + Pg Dwn

reads entire page

Virtual Cursor

'P' and Arrows

**Reads Text** 



Action

Feedback

Screen Reader Mode

Write an Email

Insert + F7

List of Links

Virtual Cursor

Arrows

Reads Links

Virtual Cursor

'P' and Arrows

Reads Text

Virtual Cursor

Enter

Nothing happens

Virtual Cursor

virtual cursor off

PC Cursor Mode

C

-announces pageload-

PC Cursor Mode

... no page read

PC Cursor Mode



Action

Feedback

Screen Reader Mode

... no page read

PC Cursor Mode

Arrows or P

beeps & types

virtual cursor on

Virtual Cursor

Virtual Cursor

Ins + Pg Dwn

reads entire page

atual Cursor

**TAB** 

Iterate elements

Virtual Cursor

Enter

'Forms Mode Active'

Forms Mode

• •

• • •

• • •

### **Summary: Web Applications**



- Non-standard Keyboard Commands
- Custom Controls (e.g. decorated links)
- Forced Focus Shifts
- Forced Text Input
- DOM Changes
- State
- DIV based layout/organization

# Summary: Web Applications



- Non-standard Keyboard Commands
- Custom Controls (e.g. decorated links)
- Forced Focus Shifts

- Forced Text Input
- DOM Changes
- State
- DIV based layout/organization

Interaction	Virtual Cursor Mode	Forms Mode	PC Cursor Mode
Navigate between pages			
Navigate within pages	•	0	0
Access to Form Elements	•	0	0
Read & Reread Text		0	
Text Input		•	

# Summary: Web Applications



- Non-standard Keyboard Commands
- Custom Controls (e.g. decorated links)
- Forced Focus Shifts

- Forced Text Input
- DOM Changes
- State
- DIV based layout/organization

Interaction	Virtual Cursor Mode	Forms Mode	PC Cursor Mode
Navigate between pages	•	•	•
Navigate within pages		0	0
Access to Form Elements	•	0	0
Read & Reread Text	•	0	
Text Input		•	
Web Application Hot Keys			•
Forced Text Input			•
Forced Focus Shifts			•
Custom Controls			





It is all up to the Developer!

Alternate Audio Feedback



- Alternate Audio Feedback
- Workflow Design

	Reading Mode	Control Mode
Btwn Page Navigation		
Within Page Navigation		
Form Content		
Reading		
Textual Input		
Dynamic Web Features		
Additional Feedback		



- Alternate Audio Feedback
- Workflow Design
- Use of Custom Controls

	Reading Mode	Control Mode
Btwn Page Navigation		
Within Page Navigation		
Form Content		
Reading		
Textual Input		
Dynamic Web Features		
Additional Feedback		



- Alternate Audio Feedback
- Workflow Design
- Use of Custom Controls
- Minimal < cost to sighted users</li>
- Easier than maintaining separate code resources

	Reading Mode	Control Mode
Btwn Page Navigation		
Within Page Navigation		
Form Content		
Reading		
Textual Input		
Dynamic Web Features		
Additional Feedback		





#### Joshua Hailpern

jhailpe2@cs.uiuc.edu University of Illinois at Urbana Champaign

Loretta Guarino Reid, Richard Boardman, Srinivas Annam {lorettaguarion, rickb, annams}@google.com Google